

Dow Latex XZ 92227.01 Experimental Latex

Category : Polymer , Thermoplastic , Styrene-Butadiene

Material Notes:

Description: XZ 92227.01 Experimental Latex is an aqueous dispersion of a modified carboxylated styrene butadiene copolymer. It has been developed for use as soft precoat and adhesive latex with superior wet strength for tufted carpets. Applications: Precoating and Secondary backing
Information provided by Styron

Order this product through the following link:

http://www.lookpolymers.com/polymer_Dow-Latex-XZ-9222701-Experimental-Latex.php

Physical Properties	Metric	English	Comments
Solids Content	50.5 - 51.5 %	50.5 - 51.5 %	
Particle Mesh Size	100 Mesh	100 Mesh	<0.1 g/l residues
	325 Mesh	325 Mesh	<0.2 g/l residues
pH	7.2 - 7.8	7.2 - 7.8	
Brookfield Viscosity	50 - 350 cP	50 - 350 cP	#2 @ 50 rpm
Surface Tension	57 - 63 dynes/cm	57 - 63 dynes/cm	

Thermal Properties	Metric	English	Comments
Glass Transition Temp, Tg	-15.0 °C	5.00 °F	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China