

Dow SPECFLEX™ NC 606 Polyol

Category : Polymer

Material Notes:

SPECFLEX™ NC 606 polyol is a co-polymer polyol especially designed for the production of High Resilience (HR) molded flexible foams. It processes well on all types of foam machinery. CAS# 009082-00-2 057913-80-1 Information provided by Dow

Order this product through the following link:

http://www.lookpolymers.com/polymer_Dow-SPECFLEX-NC-606-Polyol.php

Physical Properties	Metric	English	Comments
Specific Gravity	1.043 g/cc	1.043 g/cc	
Solids Content	25.9 - 27.1 %	25.9 - 27.1 %	40°C; DOWM 101688-TE97A
Viscosity	1900 - 2900 cP	1900 - 2900 cP	Cone & Plate; ISO 3219 (93)
Maximum Moisture Content	0.070	0.070	wt% water; ASTM D203

Thermal Properties	Metric	English	Comments
Flash Point	>= 180 °C	>= 356 °F	ASTM D93

Descriptive Properties	Value	Comments
Hydroxyl Number mg KOH/g	24.1 - 28.2	ASTM D4274

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.comEmail : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China