

## **DuPont Fusabond® MB100D High Density Polyethylene (discontinued \*\*)**

Category: Other Engineering Material, Additive/Filler for Polymer, Polymer, Thermoplastic, Polyethylene (PE), HDPE

## **Material Notes:**

Typical Use: CompatibilizerCoupling agent for nonhalogen, flame retarded wire and cable compounds containing fillers such as aluminum trihydrate or magnesium hydroxideNatural fiber wood-plastic compoundsComplies to FDA 21CFR 175.105Availability: North Americalnformation provided by DuPont.

## Order this product through the following link:

http://www.lookpolymers.com/polymer\_DuPont-Fusabond-MB100D-High-Density-Polyethylene-nbspdiscontinued-.php

Physical Properties	Metric	English	Comments
Density	0.960 g/cc	0.0347 lb/in³	
Melt Flow	2.0 g/10 min	2.0 g/10 min	

Thermal Properties	Metric	English	Comments
Melting Point	136 °C	277 °F	

Descriptive Properties	Value	Comments
MAH Graft Level, wt%	High	FTIR (DuPont)

## **Contact Songhan Plastic Technology Co.,Ltd.**

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058 Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China