

## DuPont Performance Polymers Neoprene GW M1 Polychloroprene Rubber

Category : Polymer , Thermoset , Rubber or Thermoset Elastomer (TSE)

### Material Notes:

Description: Neoprene GW is a sulfur-modified polychloroprene stabilized with a thiuram disulfide. The crystallization rate of Neoprene GW is slightly faster than that of Neoprene GRT. Information provided by manufacturer. This former DuPont Dow Elastomers product line is now produced by DuPont Performance Elastomers.

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_DuPont-Performance-Polymers-Neoprene-GW-M1-Polychloroprene-Rubber.php](http://www.lookpolymers.com/polymer_DuPont-Performance-Polymers-Neoprene-GW-M1-Polychloroprene-Rubber.php)

Physical Properties	Metric	English	Comments
Density	1.23 g/cc	0.0444 lb/in <sup>3</sup>	ASTM D792-66
Mooney Viscosity	26 - 36 @Temperature 100 °C	26 - 36 @Temperature 212 °F	ML 1 + 4; ASTM D1646-81

Descriptive Properties	Value	Comments
Color	Light Amber	
Crystallization Rate	Slow	
Odor	Mild, characteristic	
Physical Form	Chips	
Storage Stability	Good	May undergo some viscosity changes during storage. Store under cool conditions and keep storage time to a minimum.

## Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)

Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China