

DuPont Teijin Films Melinex® 526 Polyester Film, 380 Gauge

Category : Polymer , Film , Thermoplastic , Polyester, TP , Polyester Film

Material Notes:

Melinex® 526 is a high clarity polyester film, with a standard T-sub pretreatment on one surface that promotes adhesion to many vinyl and acrylic based inks and to most solvent coating formulations. The other surface is pretreated with an RHI antistat. This film has balanced shrinkage. Information provided by DuPont.

Order this product through the following link:

http://www.lookpolymers.com/polymer_DuPont-Teijin-Films-Melinex-526-Polyester-Film-380-Gauge.php

Thermal Properties	Metric	English	Comments
Shrinkage, MD	1.0 %	1.0 %	Unrestrained
	@Temperature 190 °C, Time 300 sec	@Temperature 374 °F, Time 0.0833 hour	
Shrinkage, TD	0.80 %	0.80 %	Unrestrained
	@Temperature 190 °C, Time 300 sec	@Temperature 374 °F, Time 0.0833 hour	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China