

DuPont Teijin Films Melinex® 583 Polyester Film, 375 Gauge

Category : Polymer , Film , Thermoplastic , Polyester, TP , Polyester Film

Material Notes:

Melinex® 583 is a high clarity, differentially treated polyester film. One side is hydrophilic pretreated to promote adhesion to many industrial aqueous coatings and inks, and the opposite side is pretreated for antistatic protection. Information provided by DuPont.

Order this product through the following link:

http://www.lookpolymers.com/polymer_DuPont-Teijin-Films-Melinex-583-Polyester-Film-375-Gauge.php

| Optical Properties | Metric | English | Comments |
|-----------------------|--------|---------|-----------------|
| Haze | 1.2 % | 1.2 % | ASTM D1003 |
| Transmission, Visible | 89 % | 89 % | TLT; ASTM D1003 |

| Electrical Properties | Metric | English | Comments |
|--------------------------------|--------------------------------------|--------------------------------------|------------------------------|
| Surface Resistivity per Square | 1.60e+11 ohm @Temperature 25.0 °C | 1.60e+11 ohm @Temperature 77.0 °F | 500 V DC @ 66% RH; ASTM D257 |

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China