

E-Polymers EFLEX® M500 SEBS

Category: Polymer, Thermoplastic, Elastomer, TPE, Styrenic TPE, Styrene-Butadiene

Material Notes:

M-series: E-FLEX M series resins are a maleic anhydride grafted (MAH) polymer concentrate designed as synthetic rubber and polyolefin manufactured by E-Polymers. It offers excellent adhesion to nylon and EVOH, as well as metal, polyolefins, cellulose, polyester, polycarbonate, glass, and foil. They are ideal for use as adhesives and tie layers in traditional food packaging applications and pipe coatings, and also in thermoplastic powder coatings, impact modification, modulus control, and glass-filled composites. Information Provided by E-Polymers Co., Ltd.

Order this product through the following link:

http://www.lookpolymers.com/polymer_E-Polymers-EFLEX-M500-SEBS.php

Physical Properties	Metric	English	Comments
Specific Gravity	0.910 g/cc	0.910 g/cc	ASTM D792
Melt Flow	15 - 25 g/10 min	15 - 25 g/10 min	ASTM D1238
	@Load 5.00 kg, Temperature 230 °C	@Load 11.0 lb, Temperature 446 °F	

Descriptive Properties	Value	Comments
MAH Graft Level	High	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China