

ExxonMobil 80W-90 Mobilube HD LS

Category: Fluid, Lubricant

Material Notes:

Mobilube HD LS 80W-90 is an extra high performance, automotive lubricant formulated from select base oils and an advanced additive system specifically for limited-slip differentials. This lubricant is engineered for performance in heavy-duty limited-slip differentials, axles, and final drives where extreme pressures and shock loading are expected providing API GL-5 level performance. Mobilube HD LS 80W-90 provides exceptional chemical and thermal stability at elevated bulk oil temperatures. Limited-slip differentials, axles, and final drives requiring API GL-5 level performance; Passenger cars, on-highway passenger light and heavy duty trucks, busses and vans; Off-highway industries including: construction, quarrying, and agriculture; Other industrial and automotive applications involving hypoid and other gears operating under conditions where high speed/shock load, high speed/low torque, and/or low speed/high torque conditions prevail; Mobilube HD LS 80W-90 gear lubricant is intended for initial fill, topping-off, and refill of enclosed automotive type gearing where SAE 80W-90 limited-slip gear lubricants are recommended; Do not use in transmissions or transaxles for which engine oil or automatic transmission fluids are recommended

Order this product through the following link:

http://www.lookpolymers.com/polymer_ExxonMobil-80W-90-Mobilube-HD-LS.php

Physical Properties	Metric	English	Comments
Density	0.900 g/cc	0.0325 lb/in³	ASTM D4052
	@Temperature 15.0 °C	@Temperature 59.0 °F	
Viscosity Measurement	105	105	Index; ASTM D2270
Kinematic Viscosity at 40°C (104°F)	141 cSt	141 cSt	ASTM D445
Kinematic Viscosity at 100°C (212°F)	14.8 cSt	14.8 cSt	ASTM D445

Thermal Properties	Metric	English	Comments	
Pour Point	-30.0 °C	-22.0 °F	ASTM D97	
Flash Point	230 °C	446 °F	ASTM D92	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058 Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China