

ExxonMobil Escorene® Escomer® H-101 Low MW HDPE Wax (discontinued **)

Category : Polymer , Thermoplastic , Polyethylene (PE) , HDPE

Material Notes:

Data provided by the manufacturer, Exxon Chemical. A low molecular weight synthetic polyethylene wax with a unique combination of high drop point and extreme hardness coupled with an exceptionally low melt viscosity. Applications: Hot melt adhesives; Rubber processing aid; Pigment dispersion; Candles.

Order this product through the following link:

http://www.lookpolymers.com/polymer_ExxonMobil-Escorene-Escomer-H-101-Low-MW-HDPE-Wax-nbspdiscontinued-.php

Physical Properties	Metric	English	Comments
Density	0.950 g/cc	0.0343 lb/in ³	Exxon Method
Viscosity	27 cP @Temperature 121 °C	27 cP @Temperature 250 °F	melt viscosity; ASTM D-3236

Thermal Properties	Metric	English	Comments
Melting Point	111 °C	232 °F	Exxon Method

Contact Songhan Plastic Technology Co.,Ltd.Website : www.lookpolymers.comEmail : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China