

ExxonMobil Exxsol™ D30 Dearomatized Fluid

Category : Fluid

Material Notes:

Availability: Africa & Middle East, Europe, Asia Pacific and South America Appearance: Clear/Transparent Liquid Information provided by ExxonMobil

Order this product through the following link:

http://www.lookpolymers.com/polymer_ExxonMobil-Exxsol-D30-Deaomatized-Fluid.php

Physical Properties	Metric	English	Comments
Density	0.766 g/cc @Temperature 15.0 °C	0.0277 lb/in ³ @Temperature 59.0 °F	ASTM D4052
Kinematic Viscosity	0.99 cSt	0.99 cSt	ASTM D445
Vapor Pressure	0.00533 bar @Temperature 20.0 °C	4.00 torr @Temperature 68.0 °F	ExxonMobil Method

Thermal Properties	Metric	English	Comments
Boiling Point	142 °C	288 °F	Initial; ASTM D86
Flash Point	28.9 °C	84.0 °F	ASTM D56

Descriptive Properties	Value	Comments
Aniline Point	145°F	Method E, ASTM D611
Aromatic Content	<0.01%	ExxonMobil Method
Dry Point	313°F	ASTM D86

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.comEmail : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China