

ExxonMobil Exxsol™ D40 Dearomatized Fluid

Category : Fluid

Material Notes:

Availability: Africa & Middle East, Asia Pacific, Europe, North America and South America
Appearance: Clear/Transparent Liquid
Information provided by ExxonMobil

Order this product through the following link:

http://www.lookpolymers.com/polymer_ExxonMobil-Exxsol-D40-Deaomatized-Fluid.php

Physical Properties	Metric	English	Comments
Density	0.775 g/cc @Temperature 15.0 °C	0.0280 lb/in ³ @Temperature 59.0 °F	ASTM D4052
Kinematic Viscosity	1.28 cSt	1.28 cSt	ASTM D445
Vapor Pressure	<= 0.00133 bar @Temperature 20.0 °C	<= 1.00 torr @Temperature 68.0 °F	ExxonMobil Method

Thermal Properties	Metric	English	Comments
Boiling Point	163 °C	325 °F	Initial; ASTM D86
Flash Point	45.0 °C	113 °F	ASTM D93

Descriptive Properties	Value	Comments
Aniline Point	156 °F	Method E, ASTM D611
Aromatic Content	<0.1%	UV, ExxonMobil Method
Dry Point	369 °F	ASTM D86

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.comEmail : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China