

ExxonMobil Varsol™ 30 Non-dearomatized Fluid

Category : Fluid

Material Notes:

Appearance: Clear/Transparent Liquid Availability: Africa & Middle East and Europe Information provided by ExxonMobil

Order this product through the following link:

http://www.lookpolymers.com/polymer_ExxonMobil-Varsol-30-Non-dearomatized-Fluid.php

Physical Properties	Metric	English	Comments
Density	0.774 g/cc @Temperature 15.0 °C	0.0280 lb/in ³ @Temperature 59.0 °F	ISO 12185
Kinematic Viscosity	0.93 cSt	0.93 cSt	ASTM D445
Vapor Pressure	0.00533 bar @Temperature 20.0 °C	4.00 torr @Temperature 68.0 °F	ExxonMobil Method

Thermal Properties	Metric	English	Comments
Boiling Point	140 °C	284 °F	Initial; ASTM D86
Flash Point	28.9 °C	84.0 °F	ASTM D56

Descriptive Properties	Value	Comments
Aniline Point	131 °F	Method E, ASTM D611
Aromatic Content	0.18	GC, ExxonMobil Method
Dry Point	327 °F	ASTM D86

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.comEmail : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China