

## **ExxonMobil Vistalon™ 2502 Ethylene Propylene Diene Terpolymer Rubber**

Category: Polymer, Thermoset, Rubber or Thermoset Elastomer (TSE)

## **Material Notes:**

Vistalon 2502 EPDM rubber is a low mooney polymer with low ethylene and medium diene content. It has broad molecular weight distribution for excellent compounding processibility, even without the addition of a plasticizer. It is applicable for brake parts, precision seals, gaskets, molded foam sheets, electrical connectors, hose mandrels and other molded articles. It may also be used as a polymeric plasticizer in blends with other high viscosity polymersKey Features: Excellent processibility resulting in shorter mixing and molding times. Good low temperature properties. Good low temperature flexibility and compression set. Fast cure rate and high cure state. Availability: Africa & Middle East, Europe, North America, Asia Pacific, Latin America and South Americalnformation provided by Exxon Mobil Chemical

## Order this product through the following link:

http://www.lookpolymers.com/polymer\_ExxonMobil-Vistalon-2502-Ethylene-Propylene-Diene-Terpolymer-Rubber.php

Physical Properties	Metric	English	Comments
Mooney Viscosity	26	26	ML 1 + 4, Radial cavity dies, polymer remassed at 145±10°C.; ASTM D1646
	@Temperature 125 °C	@Temperature 257 °F	

Descriptive Properties	Value	Comments
ENB Content	4.2%	ASTM D6047
Ethylene Content	49%	ASTM D3900

## Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China