

## Formosa Plastics Formolon® 622E PVC

Category : Polymer , Thermoplastic , Vinyl (PVC) , PVC, Molded

**Material Notes:**

Rigid Extrusion Resin F622E is a medium-low molecular weight PVC designed primarily for rigid extrusion applications. This product has excellent dry flow characteristics, making it desirable for dry blending applications where uniform feed rate to an extruder is important. Applications: Siding, Rigid Profiles and Pipe. Information provided by Formosa Plastics Corporation, USA

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_Formosa-Plastics-Formolon-622E-PVC.php](http://www.lookpolymers.com/polymer_Formosa-Plastics-Formolon-622E-PVC.php)

Physical Properties	Metric	English	Comments
Bulk Density	0.560 g/cc	0.0202 lb/in <sup>3</sup>	ASTM D1895
Volatiles	0.30 %	0.30 %	ASTM D6980
Particle Mesh Size	40 Mesh	40 Mesh	99.9% thru; Malvern
	200 Mesh	200 Mesh	4% thru; Malvern
Viscosity	0.90 cP	0.90 cP	Inherent; ASTM D5225
Relative Viscosity	2.15 cP	2.15 cP	

Descriptive Properties	Value	Comments
Composition	2 ppm	Residual VCM, GC Head Space Method
	20	Contamination Count, OCS per 100g
K-Value	65	Fikentscher's Constant

## Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China