

Formosa Plastics Formolon® 676 PVC

Category : Polymer , Thermoplastic , Vinyl (PVC) , PVC, Molded , PVC, Wire and Cable Grade

Material Notes:

Homopolymer General Purpose Grade Resin F676 is a medium molecular weight PVC homopolymer suitable for flexible applications and is exceptionally low in gels and finds wide acceptance in calendered film and sheeting Applications: Calendering, Blown Flexible Films, Wire Insulation and Medical. ASTM Classification: GP4-15000, ASTM D1755 Information provided by Formosa Plastics Corporation, USA

Order this product through the following link:

http://www.lookpolymers.com/polymer_Formosa-Plastics-Formolon-676-PVC.php

Physical Properties	Metric	English	Comments
Bulk Density	0.520 g/cc	0.0188 lb/in ³	ASTM D1895
Volatiles	0.20 %	0.20 %	ASTM D6980
Particle Mesh Size	40 Mesh	40 Mesh	99.9% thru; Malvern
	200 Mesh	200 Mesh	4% thru; Malvern
Viscosity	0.95 cP	0.95 cP	Inherent; ASTM D5225
Relative Viscosity	2.27 cP	2.27 cP	

Descriptive Properties	Value	Comments
Composition	<1.0 ppm	Residual VCM, GC Head Space Method
	10	Gel count, GP Gel Method
	20	Contamination Count, OCS per 100g
K-Value	68	Fikentscher's Constant

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China