

Garlock 362 Nitrile Sheet Rubber

Category: Polymer, Thermoset, Rubber or Thermoset Elastomer (TSE)

Material Notes:

Nitrile sheet is primarily used for applications where resistance to oil, solvents and fuels is required. Style #362 is a white nitrile sheet made from FDA-approved ingredients per Z1 CFR 177.2600. It also meets "3A Sanitary Standards for Multiple-Use Rubber and Rubber-Like Materials used as product contact surfaces in dairy equipment," Number 18-01, Class III and IV. It has good resistance to oily and greasy food products and abrasion. This sheet is non-marking. Information provided by Garlock Rubber Technologies

Order this product through the following link:

http://www.lookpolymers.com/polymer_Garlock-362-Nitrile-Sheet-Rubber.php

Mechanical Properties	Metric	English	Comments
Hardness, Shore A	55 - 65	55 - 65	
Tensile Strength	>= 10.3 MPa	>= 1500 psi	
	11.7 MPa	1700 psi	Typical
Elongation at Break	>= 400 %	>= 400 %	

Thermal Properties	Metric	English	Comments
Maximum Service Temperature, Air	93.3 °C	200 °F	
Minimum Service Temperature, Air	-28.9 °C	-20.0 °F	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China