

Gwent Electronic Materials D2020823D2 Polymer Dielectric

Category: Fluid, Other Engineering Material, Additive/Filler for Polymer

Material Notes:

This material is a blue colored screen printable polymer Dielectric, suitable for defining electrode areas and forms a protective layer over the electrode tracking during immersion of the electrode. The formulation is designed for maximum ingress of water. This product offers limited resistance to most solvent attack. This is part of a family of Polymer Dielectric Pastes designed for the protecting and defining of electrodes. The paste is in a ready to use form at a viscosity suitable for automatic or semiautomatic screen printing. The paste should be gently stirred before use avoiding introduction of air bubbles. It is a Polymer System for printing on polyester, PVC, Polycarbonate etc and on alumina. Information provided by Gwent Electronic Materials Ltd.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Gwent-Electronic-Materials-D2020823D2-Polymer-Dielectric.php

Physical Properties	Metric English		Comments	
Solids Content	71.3 - 73.3 %	71.3 - 73.3 %		
Viscosity	3800 cP	3800 cP	Haake VT 550 PK1.1°	
	@Shear Rate 230 1/s, Temperature 25.0 °C	@Shear Rate 230 1/s, Temperature 77.0 °F		
Storage Temperature	20.0 °C	68.0 °F	in a sealed pot	

Processing Properties	Metric	English	Comments
Processing Temperature	80.0 - 150 °C	176 - 302 °F	
Cure Time	30 min	0.5 hour	
Shelf Life	3.00 Month	3.00 Month	

Descriptive Properties	Value	Comments
Coverage cm2/g	226	230 mesh stainless steel screen with 13 micron emultion back off
Printing Mesh counts/inch	150 to 250	stainless steel or polyester screens

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058 Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China