Haveg Havaflex T.A.-117 Phenolic, Trowelable Ablative Coating

Category : Polymer , Thermoset , Phenolic , Phenolic, Ablative Coating

Material Notes:

A two-component modified phenolic ablative coating and adhesive. This material was developed for the U.S. Navy to protect the decks and

launchings systems on ships from the extremely high heats (up to 5000°F) and gas velocities (up to Mach 3.0) present during the

launching of a missile.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Haveg-Havaflex-TA-117-Phenolic-Trowelable-Ablative-Coating.php

Physical Properties	Metric	English	Comments
Density	1.25 g/cc	0.0452 lb/in³	
Moisture Absorption at Equilibrium	0.67 %	0.67 %	96 Hours

Mechanical Properties	Metric	English	Comments
Hardness, Shore A	89	89	
Tensile Strength, Ultimate	4.30 MPa	624 psi	
Elongation at Break	12.5 %	12.5 %	
Adhesive Bond Strength	23.0 MPa	3340 psi	Tensile Lap Shear; ASTM D1002

Thermal Properties	Metric	English	Comments
Thermal Conductivity	0.513 W/m-K	3.56 BTU-in/hr-ft²- °F	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com Email : sales@lookpolymers.com Tel : +86 021-51131842 Mobile : +86 13061808058 Skype : lookpolymers Address : United North Road 215,Fengxian District, Shanghai City,China