

Hong Kun Group HBCD Flame Retardant

Category: Other Engineering Material, Additive/Filler for Polymer

Material Notes:

Chemical name: Hexabromocyclododecane. HBCD flame retardant is used primarily in extruded (XPS) or suspension-polymerized polystyrene foam (EPS). With a stabilization package and proper processing conditions, it can be used in polystyrene and polypropylene resins. It can also be used in textile treatments, adhesives and coating applications. CAS No. 3194-55-6All information provided by Hongkun Group

Order this product through the following link:

http://www.lookpolymers.com/polymer_Hong-Kun-Group-HBCD-Flame-Retardant.php

Physical Properties	Metric	English	Comments
Evaporation Loss	<= 0.50 %	<= 0.50 %	loss on drying

Thermal Properties	Metric	English	Comments
Melting Point	>= 178 °C	>= 352 °F	

Descriptive Properties	Value	Comments
Appearance	white powder	
Bromine (%)	>= 74	
Color, APHA	>= 20	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China