

Iran Petrochemical (PCC) HB4265 High Density Polyethylene

Category : Polymer , Thermoplastic , Polyethylene (PE) , HDPE , High Density Polyethylene (HDPE), Blow Molding Grade

Material Notes:

HB4265 is a high molecular weight high density polyethylene. Applications: tanks, industrial, blow molding. Information provided by Iran Petrochemical Commercial Co.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Iran-Petrochemical-PCC-HB4265-High-Density-Polyethylene.php

Physical Properties	Metric	English	Comments
Density	0.942 g/cc	0.0340 lb/in ³	ISO 1183
Melt Flow	6.5 g/10 min @Load 21.6 kg, Temperature 190 °C	6.5 g/10 min @Load 47.6 lb, Temperature 374 °F	ISO 1133

Mechanical Properties	Metric	English	Comments
Tensile Impact Strength	160 kJ/m ² @Temperature -30.0 °C	76.1 ft-lb/in ² @Temperature -22.0 °F	ISO 8256

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China