

## Johnson Matthey JM6236 Soft Solder/Flux

Category: Metal, Nonferrous Metal, Lead Alloy, Solder/Braze Alloy, Tin Alloy

## **Material Notes:**

General information on the Johnson Matthey soft solder and flux product line: A wide range of Tin/Lead solders suitable for a variety of applications is available from Johnson Matthey. Most materials can be offered as solid wires or as flux cored, to suit the required applications. A wide range of Silver containing solders are suitable for applications where higher strength, increased corrosion resistance or electrical conductivity are required. In some markets the use of Lead or Cadmium containing solders is prohibited in potable water systems, this has led to the increase use of the Silver bearing and Copper bearing-Lead free solders. Solders are available as: Sticks wire (solid or flux cored), preforms, ingots, ribbon bars and solder paste. ASTM Grade Sn 62BS.EN 29453 Alloy No. 30Information provided by Johnson Matthey.

## Order this product through the following link:

http://www.lookpolymers.com/polymer\_Johnson-Matthey-JM6236-Soft-SolderFlux.php

Thermal Properties	Metric	English	Comments
Melting Point	177 - 189 °C	351 - 372 °F	
Solidus	177 °C	351 °F	
Liquidus	189 °C	372 °F	

Component Elements Properties	Metric	English	Comments	
Lead, Pb	36 %	36 %		
Silver, Ag	2.0 %	2.0 %		
Tin, Sn	62 %	62 %		

## **Contact Songhan Plastic Technology Co.,Ltd.**

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China