

KaMin KaMin[®] 35B Kaolin Clay - Waterwashed

Category : Ceramic , Clay , Kaolin Clay

Material Notes:

Coarsest kaolin with the lowest oil absorption, for excellent extension without frosting in water-based coatings. Spray dried bead form. Industry: Paint & Coatings, Adhesives & Sealants Uses: Architectural Coatings, Industrial Coatings, Wood Coatings, Flat/Matte, Primer, Water Based Information provided by KaMin LLC.

Order this product through the following link:

http://www.lookpolymers.com/polymer_KaMin-KaMin-35B-Kaolin-Clay-Waterwashed.php

Physical Properties	Metric	English	Comments
Specific Gravity	2.60 g/cc	2.60 g/cc	
Brightness	83 %	83 %	Reflectance (TAPPI)
Oil Absorption	27 %	27 %	
Fineness	>= 4	>= 4	Hegman Grind
Moisture Absorption at Equilibrium	<= 1.5 %	<= 1.5 %	As Produced
Particle Size	4.00 μm	4.00 μm	Average Stokes Equivalent Diameter
	7.00 μm	7.00 μm	Median (Malvern Laser)
Particle Mesh Size	325 Mesh	325 Mesh	0.03% Retained
pH	7	7	100 g/250 ml H2O Slurry
Specific Surface Area	8.00 m^2/g	8.00 m^2/g	BET

Descriptive Properties	Value	Comments
Bulking Value	21.7 lb.gal	
CAS Number	1332-58-7	
Crystalline Silica (quartz)	<0.1%	
Physical Form	Dry	
Shipping Point	Macon, GA	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.comEmail : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China