

## **Kazanorgsintez E-8 Petroleum Resin**

Category: Other Engineering Material, Additive/Filler for Polymer

## **Material Notes:**

Production Method: Obtained as a by-product in the process of hydrocarbon gas pyrolysis on ethylene production plants. Application:

Feedstock for production of motor fuel, solvents and aromatic hydrocarbons. Information Provided by Kazanorgsintez

Order this product through the following link:

http://www.lookpolymers.com/polymer\_Kazanorgsintez-E-8-Petroleum-Resin.php

| Physical Properties | Metric                  | English              | Comments |
|---------------------|-------------------------|----------------------|----------|
| Density             | >= 0.810 g/cc           | >= 0.0293 lb/in³     |          |
|                     | @Temperature 20.0<br>ðC | @Temperature 68.0 °F |          |

| Thermal Properties | Metric     | English   | Comments |
|--------------------|------------|-----------|----------|
| Boiling Point      | >= 72.0 °C | >= 162 °F | Initial  |
|                    | <= 170 °C  | <= 338 °F | End      |

| Component Elements Properties | Metric   | English  | Comments |
|-------------------------------|----------|----------|----------|
| Free Water                    | <= 1.0 % | <= 1.0 % |          |

| Descriptive<br>Properties | Value  | Comments                                      |
|---------------------------|--|---|
| Appearance                | Liquid of light-yellow to brown color, free of mechanical impurities |   |
| Mass Content (%)          | 50   | Mass content of benzene                       |
|                           | 85   | Mass content of aromatic hydrocarbons (C6-C8) |

## **Contact Songhan Plastic Technology Co.,Ltd.**

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058 Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China