

Kazanorgsintez Polyethyleneglycol-35, Refined

Category : Polymer , Thermoplastic , Polyethylene (PE)

Material Notes:

Production Method: Obtained by interaction of ethylene oxide with ethylene glycol. Application: PEG-35 is applied as a modifier when viscoses, high-strength fiber for cord are produced. Information Provided by Kazanorgsintez

Order this product through the following link:

http://www.lookpolymers.com/polymer_Kazanorgsintez-Polyethyleneglycol-35-Refined.php

Component Elements Properties	Metric	English	Comments
Free Water	35 - 40 %	35 - 40 %	

Chemical Properties	Metric	English	Comments
Acid Value	<= 0.10	<= 0.10	Acid or alkali neutralization number, mg of KOH/g of PEG-35

Descriptive Properties	Value	Comments
Appearance	Transparent liquid, free of mechanical impurities	
Color	35	By platinum-cobalt scale, 1 mg of Pt + .05 mg Co per 1000 cm ³
Hydroxyl Number, mg of KOH/g of PEG-35	72-78	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China