

## LG Chemical Lutex 105 NBR Latex

Category : Polymer , Thermoset , Rubber or Thermoset Elastomer (TSE)

**Material Notes:**

Description: Tensile strength, Elongation, Oil resistance, Abrasion resistance, Softness, Whiteness  
Application: Nitrile Glove (Examination Glove, Clean Room Glove), Supported Glove (Industrial Glove)  
CSA No. 9010-81-5 and 7732-18-5  
Information provided by LG Chemical

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_LG-Chemical-Lutex-105-NBR-Latex.php](http://www.lookpolymers.com/polymer_LG-Chemical-Lutex-105-NBR-Latex.php)

Physical Properties	Metric	English	Comments
Solids Content	44.5 - 45.5 % @Temperature 130 Â°C, Time 1800 sec	44.5 - 45.5 % @Temperature 266 Â°F, Time 0.500 hour	Dry residual gravimetric; LSY-QB-ID001
Particle Size	110 - 135 Âµm	110 - 135 Âµm	Laser Light Scattering Method; LSY-QB-ID016
pH	8.0 - 8.8	8.0 - 8.8	LSY-XB-YD006
Viscosity	<= 100 cP @Time 60.0 sec	<= 100 cP @Time 0.0167 hour	#60 spindle, 60 rpm; LSY-QB-ID006
Surface Tension	28 - 38 dynes/cm	28 - 38 dynes/cm	Ring Type; LSY-QB-ID005

Descriptive Properties	Value	Comments
Coagulum	<200 ppm	Mesh (#200, >74 Âµm), LSY-QB-ID004

## Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China