

LG Chemical PA910 Processing aid

Category : Other Engineering Material , Additive/Filler for Polymer

Material Notes:

Description: General purpose Application: Sheet, window profile, pipe etc Information provided by LG Chemical

Order this product through the following link:

http://www.lookpolymers.com/polymer_LG-Chemical-PA910-Processing-aid.php

Physical Properties	Metric	English	Comments
Specific Gravity	1.11 g/cc	1.11 g/cc	
Bulk Density	>= 0.350 g/cc	>= 0.0126 lb/in ³	LSY-QB-KD019
Volatiles	<= 1.0 %	<= 1.0 %	ISO 1625
Particle Mesh Size	35 Mesh	35 Mesh	<2% (mesh on); LSY-QB-KD018
	200 Mesh	200 Mesh	<2% (mesh pass); LSY-QB-KD018
Viscosity Measurement	2.0 - 2.6	2.0 - 2.6	ISO 3105

Thermal Properties	Metric	English	Comments
Melting Point	132 - 149 Å°C	270 - 300 Å°F	

Descriptive Properties	Value	Comments
Foreign Material	<3% (10 x 10 cm)	LSY-QB-KD005
Fusion time	<100 sec	ISO 8130-6

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.comEmail : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China