

LG Chemical SSBR 2550H High Acrylonitrile Polymer

Category : Polymer , Thermoset , Rubber or Thermoset Elastomer (TSE)

Material Notes:

Description: LG SSBR 2550 is a solution styrene butadiene rubber (S-SBR) extended with TDAE oil. Applications: SSBR 2550 is a high vinyl content grade, can be used in tire tread to improve rolling resistance and grip performance. CAS No: 9003-55-8 Information provided by LG Chemical

Order this product through the following link:

http://www.lookpolymers.com/polymer_LG-Chemical-SSBR-2550H-High-Acrylonitrile-Polymer.php

Physical Properties	Metric	English	Comments
Specific Gravity	0.950 g/cc	0.950 g/cc	
Mooney Viscosity	65	65	

Thermal Properties	Metric	English	Comments
Glass Transition Temp, Tg	-33.0 Â°C	-27.4 Â°F	

Chemical Properties	Metric	English	Comments
Styrene Content	25 %	25 %	Bound

Descriptive Properties	Value	Comments
Color	Dark Brown Bale	
Components	Oil (TDAE)	37.5 phr
Vinyl	50	on polymer

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China