

Lord Adhesives Flocklok® 852 Flock Adhesive

Category : Polymer , Adhesive

Material Notes:

LORD Flocklok® 852 adhesive is a single-coat adhesive used to adhere polyester or nylon flock fibers to a variety of elastomers including EPDM, NR, CR and SBR. Flocked substrates provide good resistance to abrasion. Flocklok 852 flock adhesive will react and cure with moisture; however, an elevated temperature cure is required to optimize adhesion and performance properties. All information provided by Lord.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Lord-Adhesives-Flocklok-852-Flock-Adhesive.php

Physical Properties	Metric	English	Comments
Density	0.9826 - 1.0065 g/cc	0.03550 - 0.036362 lb/in ³	
Solids Content	50 - 55 %	50 - 55 %	
Viscosity Measurement	30 - 60 @Temperature 25.0 °C	30 - 60 @Temperature 77.0 °F	Seconds; Zahn Cup #2

Thermal Properties	Metric	English	Comments
Flash Point	29.0 °C	84.2 °F	Seta

Processing Properties	Metric	English	Comments
Cure Time	2.00 min @Temperature 232 °C	0.0333 hour @Temperature 450 °F	
	3.00 min @Temperature 204 °C	0.0500 hour @Temperature 399 °F	
Shelf Life	6.00 Month @Temperature 21.0 - 27.0 °C	6.00 Month @Temperature 69.8 - 80.6 °F	

Descriptive Properties	Value	Comments
Appearance	Brown Liquid	
Solvents	Xylene, MIBK, acetates	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China