

Lotus Nano Paint NAP 201 Fast Dry Nano-paint

Category : Fluid

Material Notes:

Description: In some traffic marking it isnâ€™t possible for us to close roads for long time because of traffic conditions. This paint dry fast and we can reduce the closing time of the road or avoid closing the roads.Applications: Highway and inter-city roadsInformation provided by Lotus Nanopaint

Order this product through the following link:

http://www.lookpolymers.com/polymer_Lotus-Nano-Paint-NAP-201-Fast-Dry-Nano-paint.php

Physical Properties	Metric	English	Comments
Specific Gravity	1.50 - 1.60 g/cc	1.50 - 1.60 g/cc	ASTM D1475
Solids Content	50 - 54 %	50 - 54 %	by Volume
	71 - 75 %	71 - 75 %	by Weight; ASTM D1644

Processing Properties	Metric	English	Comments
Dry Time	0.167 hour	0.167 hour	ASTM D711
	@Temperature 25.0 Å°C	@Temperature 77.0 Å°F	

Descriptive Properties	Value	Comments
Color	White and Yellow	ASTM EN 1439
Coverage	7.9 m ² /Liter	ASTM D344
Curing	Solvent Evaporation	
Direction Reflectance	~55%	Colored, ASTM E97
	0.87	White, ASTM E97
Gloss	Opaque	
Resin	Acrylic	
Skiing Resistance (SRT)	Passes	ASTM EN 1436
Thinner	Lotus 65 B	
Water Resistance	Passes	ASTM D870

Contact Songhan Plastic Technology Co.,Ltd.Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China