

Lubriplate CLEARPLEX 2 Aluminum Complex USP Mineral Oil-Based Food Machinery Grade Grease

Category: Fluid, Lubricant, Aluminum Gellant

Material Notes:

This Aluminum Complex thickened, H-1 class grease is engineered for use in plain and anti-friction bearings in the food-processing and beverage processing industry. Contains non zinc-oxide anti-wear additive.CLEARPLEX-2 is available in Cartridges, Pails, 1/4 Drums and Drums.H-1 Class Lubricants are manufactured with ingredients that comply with FDA regulation 21 CFR 178.3570 for lubricants with incidental contact with the edible product.Information provided by Lubriplate

Order this product through the following link:

http://www.lookpolymers.com/polymer_Lubriplate-CLEARPLEX-2-Aluminum-Complex-USP-Mineral-Oil-Based-Food-Machinery-Grade-Grease.php

| Physical Properties | Metric | English | Comments |
|--|---------|---------|----------|
| Saybolt Viscosity at 100°F | 500 SUS | 500 SUS | |
| Kinematic Viscosity at 40°C (104°F) | 104 cSt | 104 cSt | |

| Mechanical Properties | Metric | English | Comments | |
|----------------------------|--------|---------|------------------------|--|
| Penetration P(0), 1/10 mm | 265 | 265 | Unknown Amount of Work | |
| Penetration P(60), 1/10 mm | 295 | 295 | Unknown Amount of Work | |

| Thermal Properties | Metric | English | Comments |
|----------------------------------|----------|---------|-------------------|
| Minimum Service Temperature, Air | -12.2 °C | 10.0 °F | Approx. Cold test |
| Dropping Point | 232 °C | 450 °F | ASTM Test |

| Descriptive Properties | Value | Comments |
|--------------------------------------|-------|----------|
| Antiwear (AW)/ Extreme Pressure (EP) | AW | |
| NLGI Grade | 2 | |
| Rust/Oxidative Additives | YES | |
| Water Resistant | YES | |

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842



Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China