

Lubriplate RCO 68 PAO-Based Synthetic Food Machinery Grade Fluid

Category: Fluid, Lubricant, Polyalphaolefin (PAO)

Material Notes:

Formulated for use in refrigeration compressor systems where a NSF H-1 Registered, food machinery grade lubricant is required.RCO-68

Fluid is available in Pails & Drums.H-1 Class Lubricants are manufactured with ingredients that comply with FDA regulation 21 CFR

178.3570 for lubricants with incidental contact with the edible product. Information provided by Lubriplate

Order this product through the following link:

http://www.lookpolymers.com/polymer_Lubriplate-RCO-68-PAO-Based-Synthetic-Food-Machinery-Grade-Fluid.php

Physical Properties	Metric	English	Comments
Viscosity Measurement	68	68	ISO Grade
	125	125	Viscosity Index
Saybolt Viscosity at 100°F	325 SUS	325 SUS	
Saybolt Viscosity at 210°F	59 SUS	59 SUS	
Kinematic Viscosity at 40°C (104°F)	67 cSt	67 cSt	
Kinematic Viscosity at 100°C (212°F)	10 cSt	10 cSt	

Thermal Properties	Metric	English	Comments
Pour Point	-51.1 °C	-60.0 °F	
Flammability Test	545	545	[°F] Fire Point
Flash Point	257 °C	495 °F	

Descriptive Properties	Value	Comments
SAE Gear Oil No.	80	
SAE No.	30	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058 Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China