

Lubriplate SYNAC 68 Diester-Based Synthetic Air Compressor Fluid

Category: Fluid, Lubricant

Material Notes:

These diester-based synthetic air compressor fluids are outstanding for applications where the fluid is subjected to high temperature and high stress conditions over extended drain intervals. Synac Series Fluids are available in Pails & Drums. Information provided by Lubriplate

Order this product through the following link:

http://www.lookpolymers.com/polymer_Lubriplate-SYNAC-68-Diester-Based-Synthetic-Air-Compressor-Fluid.php

Physical Properties	Metric	English	Comments
Viscosity Measurement	68	68	ISO Grade
	98	98	Viscosity Index
Saybolt Viscosity at 100°F	311 SUS	311 SUS	
Saybolt Viscosity at 210°F	53 SUS	53 SUS	
Kinematic Viscosity at 40°C (104°F)	64 cSt	64 cSt	
Kinematic Viscosity at 100°C (212°F)	8.0 cSt	8.0 cSt	

Thermal Properties	Metric	English	Comments
Pour Point	-28.9 °C	-20.0 °F	
Flammability Test	535	535	[°F] Fire Point
Flash Point	235 °C	455 °F	

Descriptive Properties	Value	Comments
SAE No.	20	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058 Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China