

## Lucite International Elvacite ® 4062 Acrylic Resin

Category: Polymer, Thermoplastic, Acrylic (PMMA)

## **Material Notes:**

Elvacite® 4062 is a solid bead resin specially designed for use in coatings for plastics, such as ABS, PS and PVC. It has good compatibility with many binders and plasticisers, and has excellent solubility in a wide range of solvents. It is designed to have an optimum combination of excellent adhesion, alcohol resistance and surface hardness. Information provided by Lucite International

## Order this product through the following link:

http://www.lookpolymers.com/polymer\_Lucite-International-Elvacite-4062-Acrylic-Resin.php

Physical Properties	Metric	English	Comments
Viscosity	300 cP	300 cP	30% w/w in MEK
Viscosity Measurement	0.51	0.51	reduced viscosity (dl/g), 1 wt% in chloroform; Ubbelohde B Viscometer
Molecular Weight	85000 g/mol	85000 g/mol	

Thermal Properties	Metric	English	Comments
Glass Transition Temp, Tg	99.0 °C	210 °F	

Chemical Properties	Metric	English	Comments
Total Acid Number	4.0	4.0	

Processing Properties	Metric	English	Comments
Moisture Content	0.50 %	0.50 %	

## **Contact Songhan Plastic Technology Co.,Ltd.**

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China