

Lucobit Luowax® 1705 Polyethylene Wax

Category : Polymer , Thermoplastic , Polyethylene (PE)

Material Notes:

Luowax is a polyethylene wax additive for the modification of bitumen or asphalt. The addition of Luowax reduces viscosity and penetration, while increasing water resistance, plasticity, and deformation resistance. Information provided by Lucobit AG

Order this product through the following link:

http://www.lookpolymers.com/polymer_Lucobit-Luowax-1705-Polyethylene-Wax.php

Physical Properties	Metric	English	Comments
Brookfield Viscosity	10 - 20 cP	10 - 20 cP	
	@Temperature 135 °C	@Temperature 275 °F	

Thermal Properties	Metric	English	Comments
Dropping Point	114 - 120 °C	237 - 248 °F	Metter 1°C/min

Descriptive Properties	Value	Comments
Congealing Point, °C	100 - 106	ASTM D 938
Needle Penetration, 1/10mm	0 - 12	at 65°C; ASTM D 1321
	0 - 2	at 25°C; ASTM D 1321

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China