

Lushan PR320 Adhesive Resin for Aluminum Plastic Composite Pipe

Category : Polymer , Adhesive , Thermoplastic , Polypropylene (PP)

Material Notes:

Adhesive resin Lushan series for aluminum-plastic composite pipe is maleic grafted polyethylene used for PE-AL-PE, PEX-AL-PEX and PERT-AL-PERT composite pipes. Lushan adhesive resin could provides innovative solutions for plumbing and heating pipe systems including applications of domestic water piping, under-floor heating, radiator connections and wall, cooling and heating installations, district heating and industrial piping, etc. PPR pipe adhesive resin Lushan series is maleic grafted polypropylene used for PPR piping system. Lushan makes its adhesive resin to be possible to combine the advantages of materials and polymers in the multi-layer aluminum plastic composite structures. The high mechanical and thermal cycle resistance of Lushan adhesive resin provide an excellent bonding effect over a wide temperature range. Applications: PP-R PipeCo-Extrusion LaminatingInformation provided by Lushan

Order this product through the following link:

http://www.lookpolymers.com/polymer_Lushan-PR320-Adhesive-Resin-for-Aluminum-Plastic-Composite-Pipe.php

Physical Properties	Metric	English	Comments
Density	0.900 g/cc	0.0325 lb/in ³	ASTM D1505
Melt Index of Compound	10 g/10 min @Load 2.16 kg	10 g/10 min @Load 4.76 lb	190°C/230°C; ASTM D1238

Mechanical Properties	Metric	English	Comments
Elongation at Break	500 %	500 %	ASTM D638

Thermal Properties	Metric	English	Comments
Melting Point	150 °C	302 °F	ASTM D2117
Vicat Softening Point	100 °C	212 °F	ASTM D1525

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China