

## Michelman® FiberMax® 5000 Water based medium treatment to replace paraffin wax

Category: Fluid, Other Engineering Material, Additive/Filler for Polymer

## **Material Notes:**

Description: Water based medium treatment to replace paraffin waxUsage: FibreMax® 5000 is a new alternative to paraffin wax for treating medium. It is a repulpable, machine ready fiber treatment with the added benefit of water resistance. FibreMax® 5000 should not interfere with gluability. Application data: FibreMax® 5000 can be applied by blade, rod or roll coater.Food Contact Information when manufactured in the USA:FDA: 175.105: Components of adhesivesInformation provided by Michelman®

## Order this product through the following link:

http://www.lookpolymers.com/polymer\_Michelman-FiberMax-5000-Water-based-medium-treatment-to-replace-paraffin-wax.php

Physical Properties	Metric	English	Comments
Specific Gravity	0.960 - 0.980 g/cc	0.960 - 0.980 g/cc	
pH	10 - 12	10 - 12	
Brookfield Viscosity	<= 35 cP	<= 35 cP	Spindle # 2, rpm 60
Viscosity Measurement	15 - 20	15 - 20	[sec], EZ cup, Cup # 2

Descriptive Properties	Value	Comments	
Appearance	Off-white, thin liquid		
Solids Type	Synthetic		

## Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China