

## Michelman® Michem® Emulsion 21030 Anionic polyethylene emulsion

Category: Fluid, Other Engineering Material, Additive/Filler for Polymer, Polymer, Thermoplastic, Polyethylene (PE)

## **Material Notes:**

Description: Anionic polyethylene emulsionUsage: Michem® Emulsion 21030 provides abrasion resistance and anti-blocking properties as well as slip resistance when used as an additive in floor polish formulations. We serve many markets through Michem® Emulsion, including: paint & coatings; fiberglass; inks and overprint varnishes; floor care; wood finishes; automotive care products; building products; carpets; die lubricants; fruit and vegetable coatings; textiles and urethane foamInformation provided by Michelman®

## Order this product through the following link:

http://www.lookpolymers.com/polymer\_Michelman-Michem-Emulsion-21030-Anionic-polyethylene-emulsion.php

Physical Properties	Metric	English	Comments
Specific Gravity	0.970 - 0.990 g/cc	0.970 - 0.990 g/cc	
Volatiles	69 - 71 %	69 - 71 %	
pH	<= 7.0	<= 7.0	Recommended pH of system
	8.0 - 9.5	8.0 - 9.5	
Brookfield Viscosity	<= 50 cP	<= 50 cP	Spindle # 1, rpm 60

Descriptive Properties	Value	Comments
Appearance	Tan liquid	
Emulsifier Charge	Anionic	
Solids Type	Polyethylene	

## **Contact Songhan Plastic Technology Co.,Ltd.**

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China