

Michelman® Michem® Emulsion 28640 Cationic polypropylene emulsion

Category : Fluid , Other Engineering Material , Additive/Filler for Polymer , Polymer , Thermoplastic , Polypropylene (PP)

Material Notes:

Description: Cationic polypropylene emulsion Usage: Michem® Emulsion 28640 is used as a binder and substrate coating for fibers and composites. We serve many markets through Michem® Emulsion, including: paint & coatings; fiberglass; inks and overprint varnishes; floor care; wood finishes; automotive care products; building products; carpets; die lubricants; fruit and vegetable coatings; textiles and urethane foam Information provided by Michelman®

Order this product through the following link:

http://www.lookpolymers.com/polymer_Michelman-Michem-Emulsion-28640-Cationic-polypropylene-emulsion.php

Physical Properties	Metric	English	Comments
Specific Gravity	0.950 - 0.970 g/cc	0.950 - 0.970 g/cc	
Volatiles	59 - 61 %	59 - 61 %	
pH	4.0 - 6.0	4.0 - 6.0	
	<= 7.0	<= 7.0	Recommended pH of system
Brookfield Viscosity	<= 1000 cP	<= 1000 cP	Spindle # 3, rpm 60

Descriptive Properties	Value	Comments
Appearance	Liquid	
Emulsifier Charge	Cationic	
Solids Type	Maleated Polypropylene	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China