

Michelman® Michem® Emulsion 48040M2 Nonionic microcrystalline wax emulsion

Category : Fluid , Other Engineering Material , Additive/Filler for Polymer

Material Notes:

Description: Nonionic microcrystalline wax emulsion Usage: Michem® Emulsion 47950 is a wax emulsion which is effective as an anti-graffiti and sacrificial coating and can also contribute water resistance to industrial and wood coatings. Michem® Emulsion 48040M2 as an additive provides excellent anti-blocking properties. This product is also useful in the can and coil industry for mar and scratch resistance as well as in the fiberglass industry as a lubricant. We serve many markets through Michem® Emulsion, including: paint & coatings; fiberglass; inks and overprint varnishes; floor care; wood finishes; automotive care products; building products; carpets; die lubricants; fruit and vegetable coatings; textiles and urethane foam Food Contact Information when manufactured in Belgium: FDA: 175.105: Components of adhesives 176.170: Components of paper and paperboard in contact with aqueous and fatty foods. 176.180: Components of paper and paperboard in contact with dry foods. Information provided by Michelman®

Order this product through the following link:

http://www.lookpolymers.com/polymer_Michelman-Michem-Emulsion-48040M2-Nonionic-microcrystalline-wax-emulsion.php

Physical Properties	Metric	English	Comments
Specific Gravity	0.960 - 0.980 g/cc	0.960 - 0.980 g/cc	
Volatiles	59.5 - 60.5 %	59.5 - 60.5 %	
pH	1.0 - 12	1.0 - 12	Recommended pH of system
	<= 10	<= 10	
Brookfield Viscosity	<= 200 cP	<= 200 cP	Spindle # 2, rpm 60

Descriptive Properties	Value	Comments
Appearance	Off-white, opaque liquid	
Emulsifier Charge	Nonionic	
Solids Type	Microcrystalline	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China