

## Michelman® Michem® Emulsion 93135M Nonionic polyethylene emulsion

Category: Fluid, Other Engineering Material, Additive/Filler for Polymer, Polymer, Thermoplastic, Polyethylene (PE)

## **Material Notes:**

Description: Nonionic polyethylene emulsionUsage: Michem® Emulsion 93135M is a phenol and formaldehyde free wax emulsion used in floor polish formulations for black heel mark resistance, toughness and buffability, and mar, scuff and chemical resistance. We serve many markets through Michem® Emulsion, including: paint & coatings; fiberglass; inks and overprint varnishes; floor care; wood finishes; automotive care products; building products; carpets; die lubricants; fruit and vegetable coatings; textiles and urethane foamFood Contact Information when manufactured in the USA: FDA:176.170: Components of paper and paperboard in contact with aqueous and fatty foods. (Restricted)176.180: Components of paper and paperboard in contact with dry foods. Information provided by Michelman®

## Order this product through the following link:

http://www.lookpolymers.com/polymer\_Michelman-Michem-Emulsion-93135M-Nonionic-polyethylene-emulsion.php

Physical Properties	Metric	English	Comments
Specific Gravity	0.980 - 1.00 g/cc	0.980 - 1.00 g/cc	
Volatiles	64.5 - 65.5 %	64.5 - 65.5 %	
pH	>= 7.0	>= 7.0	Recommended pH of system
	9.5 - 11	9.5 - 11	
Brookfield Viscosity	<= 100 cP	<= 100 cP	Spindle # 1, rpm 60

Descriptive Properties	Value	Comments	
Appearance	Tan, translucent liquid		
Emulsifier Charge	Nonionic		
Solids Type	High Density Polyethylene		

## Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058 Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China