

## Michelman® Michem® Prime 2960 Ethylene acrylic acid dispersion

Category: Fluid, Other Engineering Material, Additive/Filler for Polymer, Polymer, Thermoplastic, Ethylene Acrylic Acid

## **Material Notes:**

Description: Ethylene acrylic acid dispersionUsage: Michem® Prime 2960 provides outstanding adhesion to both metallic and cellulosic substrates, and enhances the water, grease, oil and solvent resistance of coatings and adhesives. When manufactured in USA product meets food contact regulations for: Europe: Euro. Res. AP(2004)1 and Commission Regulation (EU) n° 10/2011 Germany: BfR Recommendation XIV and BfR Recommendation XXXVI Food Contact Information when manufacture in the USA: FDA:175.105: Components of adhesives. 175.300: Resinous and polymeric components of coatings. (Restricted)175.320: Resinous and polymeric components of coatings for polyolefin films. (Restricted) 176.170: Components of paper and paperboard in contact with aqueous and fatty foods. (Restricted) 176.180: Components of paper and paperboard in contact with dry foods. When manufactured in Belgium product meets food contact regulations for: Europe: Euro. Res. AP(2004)1 (Restricted) and Commission Regulation (EU) n° 10/2011(Restricted)Germany: BfR Recommendation XIV (Restricted)and BfR Recommendation XXXVI (Restricted)Food Contact Information when manufactured in Belgium: FDA:175.105: Components of adhesives. 175.300: Resinous and polymeric components of coatings. (Restricted)175.320: Resinous and polymeric components of coatings for polyolefin films. (Restricted) 176.170: Components of paper and paperboard in contact with aqueous and fatty foods. 176.180: Components of paper and paperboard in contact with dry foods. When manufactured in Singapore product meets food contact regulations for: Europe: Commission Regulation (EU) n° 10/2011(Restricted) Germany: BfR Recommendation XIV and BfR Recommendation XXXVI Food Contact Information when manufactured in Singapore: FDA:175.105: Components of adhesives. 175.300: Resinous and polymeric components of coatings. (Restricted) 175.320: Resinous and polymeric components of coatings for polyolefin films. 176.170: Components of paper and paperboard in contact with aqueous and fatty foods. (Restricted) 176.180: Components of paper and paperboard in contact with dry foods. Information provided by Michelman®

## Order this product through the following link:

http://www.lookpolymers.com/polymer\_Michelman-Michem-Prime-2960-Ethylene-acrylic-acid-dispersion.php

Physical Properties	Metric	English	Comments
Specific Gravity	0.980 - 1.00 g/cc	0.980 - 1.00 g/cc	
Volatiles	82.5 - 83.5 %	82.5 - 83.5 %	
рН	>= 7.0	>= 7.0	Recommended pH of system
	11 - 12	11 - 12	
Brookfield Viscosity	<= 500 cP	<= 500 cP	Spindle # 2, rpm 60

Descriptive Properties	Value	Comments
Appearance	Semi-translucent liquid	
Emulsifier Charge	Ammoniated dispersion	
Solids Type	Ethylene Acrylic Acid Copolymer	



## **Contact Songhan Plastic Technology Co.,Ltd.**

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China