

Michelman® Michem® Shield 422 Anionic dispersion of polyethylene wax

Category : Fluid , Other Engineering Material , Additive/Filler for Polymer , Polymer , Thermoplastic , Polyethylene (PE)

Material Notes:

Description: Anionic dispersion of polyethylene wax Usage: Michem® Shield 422 provides superior rub resistance in graphic arts applications. Information provided by Michelman®

Order this product through the following link:

http://www.lookpolymers.com/polymer_Michelman-Michem-Shield-422-Anionic-dispersion-of-polyethylene-wax.php

Physical Properties	Metric	English	Comments
Specific Gravity	0.970 - 0.990 g/cc	0.970 - 0.990 g/cc	
Volatiles	49.5 - 50.5 %	49.5 - 50.5 %	
pH	4.0 - 10	4.0 - 10	
Brookfield Viscosity	<= 1000 cP	<= 1000 cP	Spindle # 3, rpm 60

Descriptive Properties	Value	Comments
Appearance	White liquid	
Emulsifier Charge	Anionic	
Solids Type	Polyethylene	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China