

## Momentive Performance Materials IS802 White Adhesive Sealant, General Purpose Paste

Category: Polymer, Adhesive, Thermoset, Silicone, Silicone, RTV, Adhesive/Sealant Grade

## **Material Notes:**

One-part acetoxy cure. Acetoxy cure silicones are the most commonly used type of RTV materials and are considered GE Silicones' general purpose product line. Typical uses: Use for general purpose, cost-effective sealing and bonding. Cure-in-place electrical insulation. UL approval.Data provided by the manufacturer, GE Silicones.GE Silicones became a part of Momentive Performance Materials in 2006.

## Order this product through the following link:

http://www.lookpolymers.com/polymer\_Momentive-Performance-Materials-IS802-White-Adhesive-Sealant-General-Purpose-Paste.php

Physical Properties	Metric	English	Comments
Density	1.04 g/cc	0.0376 lb/in³	

Mechanical Properties	Metric	English	Comments
Hardness, Shore A	23	23	
Tensile Strength, Ultimate	2.06 MPa	299 psi	
Elongation at Break	450 %	450 %	
Adhesive Bond Strength	0.970 MPa	141 psi	Typical lap shear

Thermal Properties	Metric	English	Comments
Maximum Service Temperature, Air	205 °C	401 °F	Continuous useful temperature.
Minimum Service Temperature, Air	-60.0 °C	-76.0 °F	Continuous useful temperature.

Electrical Properties	Metric	English	Comments
Dielectric Constant	2.9	2.9	
	@Frequency 60 Hz	@Frequency 60 Hz	
Dielectric Strength	20.0 kV/mm	508 kV/in	

Processing Properties	Metric	English	Comments	
Processing Temperature	25.0 °C	77.0 °F		

## **Contact Songhan Plastic Technology Co.,Ltd.**

Website: www.lookpolymers.com Email: sales@lookpolymers.com



Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China