

## NOVA Chemicals Novapol® GI-2024-A LLDPE Masterbatch Resin

Category : Polymer , Thermoplastic , Polyethylene (PE) , LLDPE , Linear Low Density Polyethylene (LLDPE), Compounding Resin

### Material Notes:

Molded Plaque Properties. Features: Granular; improved dispersion, easy processing, good ESCR.Applications: additives, masterbatches/compounding, housewares, trashcans, containers, toys.Data provided by the manufacturer.

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_NOVA-Chemicals-Novapol-GI-2024-A-LLDPE-Masterbatch-Resin.php](http://www.lookpolymers.com/polymer_NOVA-Chemicals-Novapol-GI-2024-A-LLDPE-Masterbatch-Resin.php)

Physical Properties	Metric	English	Comments
Density	0.924 g/cc	0.0334 lb/in <sup>3</sup>	ASTM D792
Environmental Stress Crack Resistance	150 hour	150 hour	F50, Condition A, ASTM D1693, 100% Igepal
Melt Flow	20 g/10 min @Load 2.16 kg, Temperature 190 °C	20 g/10 min @Load 4.76 lb, Temperature 374 °F	ASTM D1238

Mechanical Properties	Metric	English	Comments
Tensile Strength, Yield	12.0 MPa	1740 psi	ASTM D638
Elongation at Break	300 %	300 %	ASTM D638
Modulus of Elasticity	0.310 GPa	45.0 ksi	Tensile; ASTM D638

Processing Properties	Metric	English	Comments
Melt Temperature	160 - 230 °C	320 - 446 °F	

## Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)

Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China