

## NOVA Chemicals Novapol® LE-0520-AM LDPE Extrusion Resin (discontinued \*\*)

Category : Polymer , Thermoplastic , Polyethylene (PE) , LDPE , Low Density Polyethylene (LDPE), Extrusion Grade

**Material Notes:**

Features: easy processing, good dispersion.Applications: extrusion coating.Data provided by the manufacturer.

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_NOVA-Chemicals-Novapol-LE-0520-AM-LDPE-Extrusion-Resin-nbspdiscontinued-.php](http://www.lookpolymers.com/polymer_NOVA-Chemicals-Novapol-LE-0520-AM-LDPE-Extrusion-Resin-nbspdiscontinued-.php)

Physical Properties	Metric	English	Comments
Density	0.920 g/cc	0.0332 lb/in <sup>3</sup>	ASTM D792
Melt Flow	4.5 g/10 min @Load 2.16 kg, Temperature 190 °C	4.5 g/10 min @Load 4.76 lb, Temperature 374 °F	ASTM D1238

Processing Properties	Metric	English	Comments
Melt Temperature	315 - 325 °C	599 - 617 °F	

### Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)

Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China