

Parker Chomerics CHO-BOND® 1087 Primer

Category : Fluid

Material Notes:

Description: CHO-BOND® 1087 Primer is a low viscosity, blue liquid formulated to provide adhesion between silicone based compounds and non-silicone substrates such as metal, glass, plastic and ceramics. Information provided by Chomerics

Order this product through the following link:

http://www.lookpolymers.com/polymer_Parker-Chomerics-CHO-BOND-1087-Primer.php

Physical Properties	Metric	English	Comments
Specific Gravity	0.820 g/cc	0.820 g/cc	
Solids Content	10 %	10 %	

Thermal Properties	Metric	English	Comments
Maximum Service Temperature, Air	200 °C	392 °F	Use within 8 hours of application
Minimum Service Temperature, Air	-80.0 °C	-112 °F	Use within 8 hours of application
Flash Point	37.0 °C	98.6 °F	Pensky-Martin Closed Cup

Processing Properties	Metric	English	Comments
Dry Time	0.500 hour	0.500 hour	

Descriptive Properties	Value	Comments
Color	Blue	
Solvent	Mineral Spirits	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.comEmail : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China