

Parker Chomerics CHO-SHIELD® 4076-50A Conductive Coating

Category : Polymer , Adhesive

Material Notes:

Conductive Nickel-Filled Coating. This is an electrically conductive waterborne nickel-filled polyurethane coating that provides excellent shielding against radiated EMI. It bonds well to plaster, concrete dry wall, glass, wood, and most metals, making it an obvious choice for shielding buildings or, on a smaller scale, rooms housing electronic equipment. It is an air-dry coating that requires no primer; however a topcoat may be elected if a high quality finish is desired. Information provided by Chomerics

Order this product through the following link:

http://www.lookpolymers.com/polymer_Parker-Chomerics-CHO-SHIELD-4076-50A-Conductive-Coating.php

Physical Properties	Metric	English	Comments
Density	1.44 - 1.91 g/cc	0.0520 - 0.0690 lb/in³	

Electrical Properties	Metric	English	Comments
Surface Resistivity per Square	0.20 ohm	0.20 ohm	@ 2 mil
	0.50 ohm	0.50 ohm	@ 1 mil

Processing Properties	Metric	English	Comments
Shelf Life	12.0 Month	12.0 Month	

Descriptive Properties	Value	Comments
Theoretical Coverage ft²/gal	192	
	200	2 mil

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China