

Parker Chomerics Tecknit® 73-00081 Electrically Conductive Acrylic and Polyurethane Paint

Category : Polymer , Adhesive , Thermoset , Polyurethane, TS

Material Notes:

Description: TECKNIT manufactures a highly conductive acrylic and polyurethane paints filled with silver. These coatings provide a cost effective method for shielding and grounding plastic enclosures, which are susceptible to EMI, and other applications requiring a flexible protective shield. Information provided by Chomerics

Order this product through the following link:

http://www.lookpolymers.com/polymer_Parker-Chomerics-Tecknit-73-00081-Electrically-Conductive-Acrylic-and-Polyurethane-Paint.php

Thermal Properties	Metric	English	Comments
Maximum Service Temperature, Air	134 °C	273 °F	Cured
Minimum Service Temperature, Air	-54.0 °C	-65.2 °F	Cured

Electrical Properties	Metric	English	Comments
Surface Resistivity per Square	<= 1.0 ohm	<= 1.0 ohm	Cured

Processing Properties	Metric	English	Comments
Cure Time	10100 min @Temperature 24.0 °C	168 hour @Temperature 75.2 °F	
Pot Life	30 min @Temperature 25.0 °C	30 min @Temperature 77.0 °F	
Shelf Life	6.00 Month	6.00 Month	Unopened Container

Descriptive Properties	Value	Comments
Color	Metallic Gray	
Consistency	Thin Paint	
Coverage	400 sq ft	Recommended 0.002" thick
Filler	Ag/Glass	
Final Condition	Durable Film	
Number of Components	One	
Resin	Acrylic	
Volume	115 in ³	

Descriptive Properties

Value

Comments

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China