

Plansee WL-S Lanthanum Oxide-doped Tungsten

Category: Metal, Nonferrous Metal, Refractory Metal, Tungsten Alloy

Material Notes:

Tungsten alloy suitable for use as support rods in high-pressure discharge lamps. Characteristics (compared to other tungsten-lanthanum oxide alloys): More fine-grained microstructure Higher strength at high thermal loads Information provided by Plansee.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Plansee-WL-S-Lanthanum-Oxide-doped-Tungsten.php

Physical Properties	Metric	English	Comments
Specific Gravity	19.2 g/cc	19.2 g/cc	Calculated

Thermal Properties	Metric	English	Comments
Thermal Conductivity	164 W/m-K	1140 BTU-in/hr-ft ² -°F	comparable to pure W

Component Elements Properties	Metric	English	Comments
Other, each	1.0 %	1.0 %	Lanthanum Oxide

Descriptive Properties	Value	Comments
Creep Resistance	much greater than pure W	
Ductility	greater than pure W	
Fineness of Grain	much greater than pure W	
Machinability/Workability	much greater than pure W	
Recrystallization Temperature	much greater than pure W	
Stability at High Temperature	much greater than pure W	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China