

**PolyOne Geon™ Vinyl Flexible XV 3716 Polyvinyl Chloride, Flexible (PVC, Flexible)**

Category : Polymer , Thermoplastic , Vinyl (PVC)

**Material Notes:**

A Filled PVC compound formulated specifically for FDA extrusion and Molding applications. The physical properties listed below, are typical values obtained on compression molded sheets and tested in accordance with accepted test methods. This compound is certified with USP 23 Class 6 requirements when pigmented to Green 1681 and Green 5503 tints. NOTE: All ingredients used in the formulation of this compound are listed in the United States FDA Code of Federal Regulations, Title 21. The only restriction is that the plasticizer is For foods of high water content only. This statement is only an overview of the FDA listings for this product. It is the customer's responsibility to ensure that the compound is suitable for its intended application. Information provided by PolyOne

Order this product through the following link:  
[http://www.lookpolymers.com/polymer\\_PolyOne-Geon-Vinyl-Flexible-XV-3716-Polyvinyl-Chloride-Flexible-PVC-Flexible.php](http://www.lookpolymers.com/polymer_PolyOne-Geon-Vinyl-Flexible-XV-3716-Polyvinyl-Chloride-Flexible-PVC-Flexible.php)

Physical Properties	Metric	English	Comments
Specific Gravity	1.36 g/cc	1.36 g/cc	ASTM D792

Mechanical Properties	Metric	English	Comments
Hardness, Shore A	55	55	10 sec; ASTM D2240
Tensile Strength at Break	10.3 MPa	1490 psi	Type IV, 5.1 mm/min; ASTM D638
Elongation at Yield	350 %	350 %	Type IV, 5.1 mm/min; ASTM D638
Tensile Modulus	0.00345 GPa	0.500 ksi	Type IV, 5.1 mm/min; ASTM D638

Thermal Properties	Metric	English	Comments
Brittleness Temperature	-47.0 °C	-52.6 °F	ASTM D746

Descriptive Properties	Value	Comments
Agency Ratings	FDA Food Contact, Unspecified Rating	
	USP XXIII, Class VI	
Appearance	Light Green	
Features	Food Contact Acceptable	
Forms	Pellets	
Generic Material	PVC, Flexible	
Generic Name	Polyvinyl Chloride, Flexible (PVC, Flexible)	

Processing Method Descriptive Properties	Extrusion Value	Comments
	Injection Molding	
Regional Availability	Africa & Middle East	
	Asia Pacific	
	Europe	
	North America	
	South America	

**Contact Songhan Plastic Technology Co.,Ltd.**

Website : [www.lookpolymers.com](http://www.lookpolymers.com)  
Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)  
Tel : +86 021-51131842  
Mobile : +86 13061808058  
Skype : lookpolymers  
Address : United North Road 215,Fengxian District, Shanghai City,China